

## The rich tradition of jaguar research and conservation in Venezuela and its impact on human-jaguar coexistence throughout the species' range

La rica tradición de investigación y conservación del jaguar en Venezuela  
y su impacto en la coexistencia entre humanos y jaguares  
en el área de distribución de la especie

John Polisar<sup>1</sup>, Almira Hoogesteijn<sup>2</sup>, Lucy Perera-Romero<sup>3</sup>, María Fernanda Puerto-Carrillo<sup>4,5</sup>,  
Emiliana Isasi-Catalá<sup>6</sup>, Włodzimierz Jędrzejewski<sup>4</sup> & Rafael Hoogesteijn<sup>7</sup>

<sup>1</sup>Department of Environment and Development, Zamorano Biodiversity Center, Zamorano University,  
Tegucigalpa P.O. Box 93, Honduras.

<sup>2</sup>Centro de Investigación y de Estudios Avanzados, Unidad Mérida, México (CINVESTAV).

<sup>3</sup>Caura Program – Wildlife Conservation Society 2009 – 2015.

Current: Mammal Spatial Ecology and Conservation Laboratory, Washington State University, WA, USA.

<sup>4</sup>Laboratorio de ecología y genética de poblaciones, Centro de Ecología, Instituto Venezolano de Investigaciones Científicas (IVIC).

<sup>5</sup>Departamento de Biología, Facultad Experimental de Ciencias, Universidad del Zulia, Venezuela.

<sup>6</sup>Wildlife Conservation Society, Perú.

<sup>7</sup>Panthera, 8 West 40<sup>th</sup> Street, 18<sup>th</sup> Floor, New York, NY 10018, USA.

Correspondence: rafhoogesteijn@gmail.com


(Received: 10-06-2022 / Accepted: 26-07-2022 / Online: 30-09-2022)

### HISTORY

Some of the earliest studies on jaguars and human-jaguar coexistence took place in Venezuela, including by Ambassador (to Kenya) Edgardo Mondolfi, a Cornell graduate (Animal Production and Zoology), professor at the Central University of Venezuela, Director of several Ministries, with links to the Smithsonian Institution, the Species Survival Commission of the IUCN, and the United Nations Environmental Program (UNEP). Mondolfi is considered the “father” of modern Mammalogy in Venezuela (Fig. 1). His mastery of all matters mammalian led to the mentoring of many researchers, amongst them two veterinarians, Rafael Hoogesteijn and Ernesto Boede. The three carved a place for Venezuela as jaguar studies started in the 1980s. Their chapter in the 1986 edited volume *Cats of the World* is testimony to that, one of the earliest serious publications on jaguars in the world (Mondolfi & Hoo-

gesteijn 1986). Much of the work of the three researchers focused on human-jaguar conflict, a fair amount of that in the state of Cojedes.

By the early 1990s, Venezuela was a leader in the young field of jaguar research and hosted the conference “*Felinos de Venezuela*” in 1991 (FUDECI 1992), with specialists from Switzerland, the United States, Mexico, Brazil, and Venezuela. R. Hoogesteijn, A. Hoogesteijn and E. Mondolfi published the first study on cattle depredation by jaguars (Hoogesteijn *et al.* 1993); this publication was followed by Hoogesteijn and Mondolfi’s very comprehensive and lavishly illustrated book (Hoogesteijn & Mondolfi 1992) summarizing all the knowledge of jaguars at the time, including information on Venezuelan natural history richness. As Venezuelan researchers developed further knowledge, they established fluid contact with colleagues from Brazil and Belize. Venezuela was the first country to experiment with jaguar translocations to solve



**Figure 1.** Dr Edgardo Mondolfi, considered the “father” of modern mammalogy in Venezuela, holding the largest jaguar skull measured in all the Americas (shot in 1945 by Paul Stemper at Hato La Rubiera in the Guárico State Llanos). Photo: Rafael Hoogesteijn (~1990).

the cat-cattle conflict, although the results were not particularly encouraging (Fig. 2).

In the mid-late 1990s, a team from the University of Florida – Gainesville (UF), consisting of John Eisenberg (globally renowned mammalogist), Melvin Sunquist (a tiger and ocelot expert), Rafael Hoogesteijn (a cattle veterinarian finishing his MSc; Fig. 3) and John Polisar (a PhD candidate with wide-ranging interests and a background that started with carnivores in the northern Rocky Mountains; Fig. 4), initiated a project in Hato Piñero, Cojedes state, an 80,000-ha cattle ranch and nature preserve. The setting was a flooded savanna-forest mosaic, working cattle ranch, with 14,000 heads of cattle and 450 heads of riding stock, along with white-lipped peccaries, tapirs, deer, capybaras, anacondas, caimans, jaguars, and pumas.

The project encountered numerous obstacles and overcame them for success (Fig. 5). One of the main products, led by Polisar (Polisar *et al.* 2003), included a complete (and laborious) accounting of prey distribution and biomass on the ranch and remains one of the most intensive and thorough studies of the origins of and solutions for human-cat conflict- until today. A companion paper led by UF MSc students Daniel Scognamillo and Inez Maxit was also published in 2003 (Scognamillo *et al.* 2003). It presented a detailed examination of ecological coexistence

through resource partitioning of jaguar and puma and has been widely cited by jaguar researchers. The environmental and management setting in the seasonally flooding lowlands of the Orinoco Basin in many ways resembles the Brazilian Pantanal, and a substantial portion of the early stages of jaguar research started there. Hato Piñero was the first place in Latin America where specially designed electrical fences (Fig. 6) were tried in the field as a successful deterrent for jaguar/puma/cattle depredation problems (Scognamillo *et al.* 2003). Two jaguars (one male and one female), one female puma, and two female ocelots were captured and fitted with radio collars for the first time in Venezuela for telemetry studies during the first stage of this project (Hoogesteijn *et al.* 1996). By the time the project concluded, researchers had captured and studied five jaguars (3 females and two males), and six pumas (four female and two males).


Another significant development in the nineties was the export of two Venezuelan jaguars as wild founders for a “Llanos Jaguar Breeding Group” to the Jacksonville Zoo in Florida, USA. Negotiations between the Fundación Nacional de Parques Zoológicos y Afines of Venezuela (FUNPZA), the Jacksonville Zoo in Florida, USA, and the Wildlife Office of the Venezuelan Ministry of the Environment (Profauna) began by inscribing the Venezuelan Jaguars of wild origin in the studbooks held by the American Association of Zoos and Aquariums.

Venezuelan negotiators included Edgardo Mondolfi, Pedro Trebbau, Esmeralda Mujica, Ernesto Boede and Israel Cañizales (all associated to FUNPZA). The Environment Ministry had two representatives that worked for Profauna (the section in charge of wildlife protection); biologists Mirna Quero and Salvador Boher. Rafael Hoogesteijn, acted as the initial liaison between Venezuela and the Jacksonville Zoo Director.

To start a “Jaguar Breeding Group” of jaguars from the Llanos region, a US veterinarian was hosted in Venezuela by Boede and Mujica, to collect genetic samples from captive jaguars of wild origin, kept in different collections. After almost two years of paperwork and sanitary trials, all the needed authorizations and CITES permits were issued for a very popular male (Bruno, kept at the Cattle Ranchers Association of Carabobo State) and a female (from a local zoo). Both animals were deposited in the new facilities of the “Orinoco Floodplain” exhibition at the Jacksonville Zoo. This early model of international cooperation pioneered processes and procedures potentially relevant throughout the jaguar range.

Francisco Bisbal (1953-2020), was the chair of the Museo de la Estación Biológica de Rancho Grande (EBRG) for many years, an institution attached to the


JAGUAR RESEARCH IN VENEZUELA



**Figure 2.** Team that completed one successful Jaguar translocation in Venezuela, left to right: Omar Hernández (Fudeci), Jose Luis Méndez-Arocha (Profauna-MARNR), Edgardo Mondolfi (mammalogist and associate researcher), Ernesto O. Boede (wildlife specialist veterinarian). Entre Ríos region, Caura River, Bolívar State, Venezuela (February 1993). Photo: Ernesto Boede.



**Figure 3.** Rafael Hoogesteijn working a large herd of cattle in the Porto Jofre region of the Northern Brazilian Pantanal (2013). Photo: Rafael Hoogesteijn.



**Figure 4.** A recent photograph of John Polisar doing fieldwork in La Mosquitia, Honduras. Photo: John Polisar.

Venezuelan Ministry of Environment. Francisco organized a number of collecting expeditions in many places in Venezuela, being also an extraordinary museologist. In the 1980s he published papers relevant to the Venezuelan carnivores, including the jaguar.

During the 1990s, Almira Hoogesteijn (Venezuelan Veterinarian; Fig. 7) began working in jaguar conservation and research activities; she has since participated in many important publications with her brother Rafael.

By the time large-scale jaguar conservation ignited, with the January 1999 First Range Wide Priority Setting Exercise conducted in Cocoyoc, Mexico; Venezuela was a recognized force in jaguar conservation. Representations at that conference associated with Venezuela included Ernesto Boede, John Polisar, and Daniel Scognamillo. Polisar, Hoogesteijn, and Boede had prepared the maps for the workshop in late November 1998 in Valencia, Venezuela.

Hoogesteijn is currently a Ranch Manager and globally renowned human-jaguar coexistence expert employed by Panthera in the Pantanal of Brazil, advising other Panthera teams and conflict resolution projects, along with numerous colleagues across a diverse range of Latin American countries. Boede is now deceased, as is Mondolfi, and both left a notable written legacy. Hoogesteijn is a prolific author and adviser on human-jaguar conflict across the species' range.

The international educational institutions most tightly involved with this genesis of applied research on jaguars include the University of Florida and Cornell University. From UF, this includes, Rafael Hoogesteijn, Laura Farrell, Inez Maxit (Fig. 8), John Polisar, Daniel Scognamillo

(Fig. 9), John Eisenberg, Melvin Sunquist, Jim Nichols, and Wayne King. Peter Crawshaw was completing his studies at UF as the Piñero project started. Edgardo Mondolfi and Almira Hoogesteijn received their PhDs from Cornell. John Polisar began his education in natural resources at Cornell. As the new millennium started, Venezuela was a source of academically strong, groundbreaking, and widely recognized contributions to jaguar research and conservation.

#### VENEZUELA'S IMPORTANCE FOR JAGUAR RESEARCH AND CONSERVATION 2003-2022

Venezuela is a physically beautiful country. It has several biomes essential for jaguars and is of extreme strategic importance for jaguar conservation on a range-wide level (Fig. 10). Post-2003, jaguar research continued in several distinct regions of Venezuela, including the Amazon, the coastal range, the Llanos, and the Lake Maracaibo basin.

Emiliana Isasi-Catalá (who had worked as a volunteer for Polisar in Hato Piñero) conducted her first investigation on jaguars and pumas in Hato El Socorro (Cojedes State), a large cattle ranch neighboring Hato Piñero. As part of the objectives, this study evaluated habitat use and diet of these big cats to determine possible conflicts due to predation on livestock and other domestic animals. As part of her research interests, Emiliana has sought to improve jaguar and puma population assessments using reliable estimation methods. Therefore, she tested the identification of individual jaguars and pumas based on morphometric analysis of footprints, which later became part of her undergraduate thesis. Additionally, she began the study of these species using camera traps in protected areas such as the Aguaro-Guariquito and Guatopo National Parks to determine the effectiveness of this tool in population estimates. Subsequently, she evaluated the presence of jaguars in the Aguaro-Guariquito National Park, evaluating its potential for jaguar conservation (Fig. 11). She published the results of that research, and now works on jaguars and their prey in Peru. Her study area in Venezuela was extremely rugged, which helped protect it since several of Venezuela's larger cities are nearby. Emiliana's doctoral research resulted in the first formal abundance estimate for jaguars in Venezuela. She went on to study, at a larger landscape scale, the threats to connectivity and the tools to maintain that connection, among which were traditional cacao and coffee agroforestry practices, and establishing and maintaining good rapport and working relationships with local communities, which can be effective stewards of the land. Threats include forest conversion for mono-




**Figure 5.** The Piñero Project encountered numerous obstacles to overcome yet generated considerable pioneering contributions. Here one of the principal researchers Laura Farrell, is inspecting one of the pig-baited jaguars-traps, with contracted professional trapper, Roy McBride (March 1996). Photo: Rafael Hoogesteijn.



**Figure 6.** First Latin-American field tested electrical fences that successfully controlled jaguar/puma predation problems in a cattle maternity paddock at Hato Piñero. Photo: Daniel Scognamillo.



**Figure 7.** Almira Hoogesteijn presents predation mitigation methods in a workshop for livestock owners in Autlán de Navarro, Jalisco, México (2014). Photo: Almira Hoogesteijn.



**Figure 8.** Inez Maxit and assistant Victor Juan Meires, with a tranquilized jaguar of the Piñero Project. Photo: Daniel Scognamillo.



**Figure 9.** Local assistant together with Daniel Scognamillo in the process of radio-collaring a tranquilized jaguar at hato Piñero. Photo: Daniel Scognamillo.



**Figure 10.** Prime jaguar habitat in Hato El Socorro, near El Baúl, Cojedes State, a mix of swamps, forested savannas, gallery forests, and rocky hills that offer jaguars, excellent habitat and abundant prey-base. Photo: Rafael Hoogesteijn.



**Figure 11.** Running/reviewing the camera-trap grid of Emiliana Isasi Catalá in Guatopo National Park, from left to right: Ernesto Boede, Rafael Hoogesteijn, Emiliana Isasi-Catalá, and assistant José Infante (~2010). Photo: Ernesto Boede.

cultures. Emiliana formed a new project in Serranía El Bachiller, an area contiguous with Guatopo National Park, dedicated to community work to conserve this rugged and beautiful region and the jaguars it harbors. Emiliana also assisted Lucy Perera-Romero in her studies in the Upper Caura.

After acquiring a remarkable experience of many years researching on carnivore populations in the forests of the Białowieża region on the Poland-Belarus border, Włodzimierz Jędrzejewski came to Venezuela about a decade ago to work for the Venezuelan Institute for Scientific Research (IVIC – Instituto Venezolano de Investigaciones Científicas) based near Caracas. His extensive research has yielded an important publication record on jaguars, including a range-wide analysis, intensive camera trapping studies principally in the Cojedes State but also almost in the entire country (with the help of Ernesto Boede and several others (Fig. 12). More recently, Jędrzejewski has published detailed research on jaguar populations range-wide and has generated manuscripts on the status, distribution, and connectivity of jaguar sub-populations throughout South America. Jędrzejewski's 2016 paper on population density and structure in Hato Piñero (a decade after Polisar *et al.* 2003 and Scognamillo *et al.* 2003) revealed high densities (7.67 jaguars/100km<sup>2</sup>). It represents one of the few before-after assessments with a larger than a 10-year interval of jaguar status on a working cattle ranch. It provides strong evidence that coexistence is possible.

The population of jaguars in and around the large ranches of Cojedes (Fig. 13) comprises their jaguar conservation unit (JCU), and there are also jaguars in the Delta of the Orinoco River, as pointed out by Almira Hoogesteijn *et al.* (2016). Venezuela and Colombia share borders and biomes and have joint populations which do not recognize political boundaries. Whether it is Llanos, Amazonas, Caribbean slope, or lower slopes of the Andes – these two countries share ecological characteristics and management challenges. Venezuelan research relates to Colombian realities. Colombia's adjacency to Venezuela is extremely important for range-wide jaguar connectivity in the northern part of the continent.

To the west, where there are jaguars around the Maracaibo Lake region, María Fernanda Puerto-Carrillo, studies them and recently received an international “Future for Nature” prize for her outstanding work; she founded the Sebraba’s Project (Sebraba is the jaguar’s name in the Bari indigenous language). Her research takes place in the lowlands adjacent to the southern part of the Lake Maracaibo basin, in the hottest and雨iest climate in the country, where approximately 90% of the original forest has been lost. This region shares its fauna more with northeastern Colombia than the remainder of Venezuela. The region is essential for large-scale jaguar connectivity. Threats include habitat fragmentation and loss, reduced natural prey, and direct killing, with consumption, sport, and livestock losses being the drivers. Although these for-



Figure 12. Ernesto Boede (left) and Włodzimierz Jędrzejewski (right) camera-trapping at Hato El Frío in 2012, Apure State, Llanos of Venezuela. Photo: Włodzimierz Jędrzejewski.



Figure 13. Gertrudis Gamarra (†), a great collaborator and field guide in Hato Piñero, Cojedes State. Photo: Włodzimierz Jędrzejewski.

ests are listed as Near Threatened in the Red Book of Terrestrial Ecosystems of Venezuela, there are two protected areas: *Parque Nacional Ciénagas de Juan Manuel* and *Reserva de Fauna Silvestre Ciénagas de Juan Manuel de Aguas Blancas y Aguas Negras*, both totaling 3,400km<sup>2</sup> of continuous forest, a good size even for the wide-ranging jaguar (Fig. 14). María Fernanda studied diet, through scats, and estimated population density, using a 600km<sup>2</sup> camera trap polygon and spatially explicit models for an estimate of 3.37 jaguars/100km<sup>2</sup>. In 2021, she started two new research projects on jaguars, one in the north of the Amazon state with the Piaroa indigenous community and

another in areas near San Carlos, Cojedes State, where she works with local producers, addressing the feline-human conflict.

Areas of great importance for jaguars include Venezuela's connections to the southwest, south, and southeast, where the country has (in Apure, Amazonas, Delta Amacuro, and Bolívar states) physical and ecological connections with the Colombian, Brazilian, and Guyanese Amazon-Guiana Shield greater Amazon region and comprises one of the nine countries in the largest Jaguar Conservation Unit in the world.

The Wildlife Conservation Society supported Lucy Perera-Romero's research in the Upper Caura area (Guiana Shield) from 2010 to 2015. Perera-Romero's investigation was conducted 200 miles into the remote Guiana Shield, upstream of river rapids and waterfalls, with complete collaboration of the indigenous inhabitants of ethnic Orinoco Basin groups (Fig. 15). These studies comprehensively focused on prey/game species, subsistence hunting patterns, and jaguar abundance and distribution (Fig. 16). Lucy's studies included three separate camera trapping campaigns across various cultural and disturbance gradients (a relative term given the relatively pristine characteristics of this area). The sampling areas ranged from 235km<sup>2</sup> to 331km<sup>2</sup>. Despite generating abundant data on how subsistence hunting affected the natural prey base for jaguars/game species for humans, only one sample yielded a density estimate (~ 2.3 jaguars/100km<sup>2</sup>). The indigenous communities noted the effect their hunting had on game and ecological equilibrium and designated "protection zones" related to each community, where no hunting should occur. Despite the documented low-scale threat that small-scale indigenous subsistence hunting can represent, the indigenous are vested in the environment that they inhabit. The threats from deforestation and water contamination due to uncontrolled mining, the cultural erosion that the mining camps bring, and, in particular, the high demands for bush meat to serve hungry miners – represent a more severe and, in some ways, existential threat for these spectacular forests and their inhabitants, in an area that is truly among one of the world's natural wonders.

Lucy is currently a student at Washington State University, finishing up massive camera trapping research conducted in the Maya Biosphere Reserve in Guatemala in the Department of Petén.

Perera-Romero's research in Venezuela's Upper Caura has been partially published, with some papers yet pending. Her abundant and deeply significant data from Venezuela's Upper Caura can be found in the 2022 Amazon Cam Trap data paper. Her study and the studies by María



**Figure 14.** María Fernanda Puerto (IVIC), Raúl González (LUZ) and Orlando Gómez (INPARQUES) checking data collected from camera traps in Catatumbo River, Ciénagas de Juan Manuel National Park, Zulia State, 2018. Photo: Pedro L. Bermúdez.



**Figure 15.** Lucy Perera-Romero camera-trapping in the upper Caura river region, a very remote and difficult access area, in which she was widely helped by the local indigenous communities. Photo: Lucy Perera-Romero.



**Figure 16.** Jaguar in upper Caura, Bolívar State, Venezuela. This area borders the Amazon and is part of the >2,000,000 km<sup>2</sup> largest Jaguar Conservation Unit worldwide. Photo: Lucy Perera-Romero.

Fernanda Puerto-Carrillo, Emiliana Isasi-Catalá, and Włodzimierz Jędrzejewski, have taken place thirty-plus years after the ground-breaking work of Edgardo Mondolfi, Rafael Hoogesteijn, Ernesto Boede, and twenty years after the outcome of John Polisar, Daniel Scognamillo, and Inez Maxit – and are a solid testimony to Venezuela's rich history and continued active role in jaguar research.

Last but not least, it is worth mentioning that some paleontological researches in Venezuela have rendered information about the fossil record and paleodistribution of the Jaguar in the region. The reports include *Panthera onca* in the Late Pleistocene sites of Muaco, and possibly in Taima-Taima, both in the Falcon state (Bocquentin 1979, Aguilera 2006, Chávez-Aponte & Carrillo-Briceño 2012, Carrillo-Briceño 2015), and the El Breal de Orocual ORS20, in the Monagas state (Solórzano et al. 2015, Ruiz-Ramoni 2016). Some remains assigned to *P. onca* have been also reported from a cave named “La Cueva del Cañón de Sorotamia”, in the Socuy River basin, Zulia state (Rincón 2006); however, the geological age of the site is not well defined, and this could be Pleistocene and Holocene (see Ruiz-Ramoni 2016).

## SUMMARY

Rafael Hoogesteijn, now stationed in Brazil, still publishes prolifically. Polisar took what he learned in the Llanos of Venezuela and applied it range-wide. Inez E. Maxit is the Study Abroad Coordinator at Stephen F. Austin State University in Texas, and Daniel G. Scognamillo is an Associate Professor for Research in the Feline Research Program in the Caesar Kleberg Wildlife Research Institute-Texas A&M University-Kingsville. Isasi-Catalá, Jędrzejewski, Perera-Romero, and Puerto-Carrillo have skillfully carried the tradition forward with significant new contributions in Zulia State, in the Llanos, in the Guiana Shield-Amazon, along with the coastal range, throughout South America and range-wide. Almira Hoogesteijn continues working with ranchers in Mexico.

It is no exaggeration to say that work with Venezuelan origins has played an essential role in jaguar research and human-jaguar coexistence throughout the range of the species. Because Venezuela has a rich history in jaguar research and conservation and has played such an important role in human-jaguar coexistence range-wide, it would occupy a welcome & strategic position as a member of the

2030 Jaguar Conservation Initiative. Venezuela is one of the seventeen most biodiverse countries in the world. The jaguar as an ‘umbrella species’ can indicate that Venezuela, apart from being the cradle of anti-depredation strategies development in cattle ranching, is preserving its globally significant natural heritage and the cradle of anti-depredation strategies development in cattle ranching. The Jaguar 2030 Roadmap coincides with the Sustainable Development Goals, the Convention for Biodiversity’s Global Biodiversity Framework, and the United Nations Decade of Restoration.

Below (see appendix), we list publications focused on Venezuela, of range-wide significance, with the content of Venezuelan origins, or Venezuelan co-authors, organized alphabetically by author-year.

## REFERENCES

- Aguilera, O. 2006. *Tesoros paleontológicos de Venezuela. El Cuaternario del Estado Falcón*. Caracas: Ministerio de la Cultura, Instituto de Patrimonio Cultural. Editorial Arte; 120 pp.
- Bocquentin, J. M. 1979. *Mammifères fossiles du Pleistocene supérieur de Muaco, Etat de Falcón, Venezuela*. Vol. 1-2. Paléontologie des vertébrés et paleoanthropologie humaine, L’ Université Pierre et Marie Curie. París, Francia.
- Carrillo-Briceño, J. D. 2015. *Bestias Prehistóricas de Venezuela “Colosos de la Edad de Hielo”*. Caracas: Río Verde, 287 pp.
- Chávez-Aponte, E. O. & J. D. Carrillo-Briceño. 2012. Los Carnívoros del Pleistoceno. pp. 323–334. In: Sánchez-Villagra, M. R. (ed.). *Venezuela paleontológica. Evolución de la biodiversidad en el pasado*. Zürich: Universität Zürich.
- Hoogesteijn, R., A. Hoogesteijn & E. Mondolfi. 1993. Jaguar predation vs. conservation: Cattle mortality by felines on three ranches in the Venezuelan Llanos. pp. 391–407. In: Dunstone, N. & M. L. Gorman (eds.) *Mammals as predators*. Zoological Society of London Symposia 65. Oxford: Clarendon Press.
- Hoogesteijn, R. & E. Mondolfi. 1992. *El jaguar, tigre americano*. Caracas: Armitano Editores, 186 pp.
- Hoogesteijn, R., R. McBride, M. Sunquist, A. Hoogesteijn & L. Farrell. 1996. Medetomidine and rubber-padded leg-hold traps in Venezuelan cat studies. *Cat News* 25: 22–23.
- Mondolfi, E. & R. Hoogesteijn. 1986. Notes on the biology and status of the Jaguar (*Panthera onca*) in Venezuela. pp. 85–123. In: Miller, S. D. & D. D. Everett (eds.). *Cats of the World: Biology, conservation and management*. Washington, D.C.: National Wildlife Federation.
- Polisar, J., I. Maxit, D. Scognamillo, L. Farrell, M. Sunquist & J. F. Eisenberg. 2003. Jaguars, pumas, their prey base, and cattle ranching: ecological interpretations of a management problem. *Biological Conservation* 109: 297–310.
- Rincón, A. D. 2006. Primer registro de jaguar (*Panthera onca*) en estado fósil para la Sierra de Perijá, estado Zulia - Venezuela. *El Guácharo, Boletín Espeleológico* 61: 4–6.
- Ruiz-Ramoni, D. 2016. *Paleobiología y ecología evolutiva de los carnívoros fósiles (Eutheria: Mammalia) de los yacimientos de asfalto El Breal de Orocual y El Mene de Inciarte, en Venezuela*. Altos de Pipe, Venezuela: Instituto Venezolano de Investigaciones Científicas. [PhSc thesis].
- Scognamillo, D., I. E. Maxit, M. Sunquist & J. Polisar. 2003. Co-existence of jaguar (*Panthera onca*) and puma (*Puma concolor*) in a mosaic landscape in the Venezuelan Llanos. *Journal of Zoology* 259: 269–279.
- Solórzano, A., A. D. Rincón & H. G. McDonald. 2015. A new mammal assemblage from the Late Pleistocene El Breal de Orocual, Northeast of Venezuela. *Science Series Natural History Museum of Los Angeles County* 42: 125–150.

## APPENDIX

Scientific bibliography of the jaguar in Venezuela. The following is a list of articles and books derived from the research activities referred to in this paper. It does not intend to be an exhaustive bibliographic list of the works related to the presence of the Jaguar in Venezuela. It excludes a number of popular articles, historical and travellers’ accounts, ethnographic and etnozoological studies and most references to Jaguar hunting activities in the country.

- Antunes, A.C., A. Montanarin, D.M. Gräbin, E.C. dos Santos Monteiro, F.F. de Pinho, G.C. Alvarenga, J. Auhumada, R. Wallace, E.E. Ramalho, A.P.A. Barnett, A. Bager, A.M.C. Lopes, A. Keuroghlian, A. Giroux, A.M. Herrera, A.P. de Almeida Correa, A.Y. Meiga, A.T. de Almeida Jácomo, A. de Barros Barban, A. Antunes, A.G. de Almeida Coelho, A.R. Camilo, A.V. Nunes, A.C. dos Santos Marocio Gomes, A.C. da Silva Zanzini, A.B. Castro, A.L.J. Desbiez, A. Figueiredo, B. de Thoisy, B/Gauzens, B.T. Oliveira, C.A. de Lima, C.A. Peres, C.C. Durigan, C.R. Brocardo, C. A. de Rosa, C. Zárate-Castañeda, C.M. Montez-Moreno, C. Carrnicer, C.T. Trinca, D.J. Polli, D. da Silva Ferraz, D.F. Lane, D. Gomes de Rocha, D.C. Barcelos, D. Auz, D.C.P. Rosa, D.A. Silva, D.V. Silvério, D.P. Eaton, E. Nakano-Oliveira, E. Venticinque, E. Carhalvo Jr., E.N. Mendoca, E.M. Vieira, E. Isasi-Catalá, E. Fischer, E.P. Castro, E.G. Oliveira, F.R. de Melo, F. de Lima Muniz, F. Rohe, F. Beggiano Baccaro, F. Michalski, F.P. Paim, F. Santos, F. Anaguano, F.B.L. Palmeira, F.da Silva Reis, F.H. Aguiar-Silva, G. de Avila Batista, G. Zapata-Ríos, G. Forero-Medina, G. De Souza Ferreira Neto, G.B. Alves, G. Ayala, G.H.P. Pedersoli, H.R. El Bizri, H. Alves de Prado, H.B. Mozerle, H.C.M. Costa, I.J. Lima, J. Palacios, J. de Resende Assis, J.P. Boublí, J.P. Metzgar, J.V. Teixeira, J.M.D. Miranda, J. Polisar, J. Salvador, K. Borges-Almeida, K. Didier, K. D. de Lima Pereira, K. Torralvo, K. Gajaprasad, L. Silveira, L. U. Maioli, L. Maracahipes-Santos, L. Valenzuela, L. Benavalli, L. Fletcher, L.N. Paolucci, L.P. Zanzini, L.C. da Silva, L.C. R. Rodrigues, M. Benchimol, M.A. Oliveira, M. Lima, M.B. da Silva, M.A. dos Santos Jr.,

- M. Viscarra, M. Cohn-Haft, M.I. Abrahams, M.A. Benedetti, M. Marmontal, M.R. Hirt, N.M. Törres, O.F. Cruz Jr., P. Alvarez-Loayza, P. Jansen, P. Ribeiro Prist, P. Monteiro Brando, P.B. Perônico, R. do Nascimento Leite, R.M. Rabelo, R. Sollman, R. Beltrão-Mendes, R.A.F. Ferreira, R. Coutinho, R. da Costa Oliveira, R. Ilha, R.R. Hilário, R.A. Prudente Pires, R. Sampaio, R. da Silva Moreira, R. Botero-Arias, R.V. Martinez, R. A. de Albuquerque Nóbrega, R.F. Fadini, R.G. Morato, R.L. Carneiro, R.P.S. Almeida, R.M. Ramos, R. Schaub, R. Dornas, R. Cueva, S. Rolim, S. Laurindo, S. Espinosa, T.N. Fernandes, T.M. Sanaiotti, T.H.G. Alvim, T.T. Dornas, T.E.N. Piña, V'L.C. Andrade, W.T.V. Santiago, W. Magnusson, Z. Campos & M. 2022. Amazonia camera trap: a data set of mammal, bird, and reptile species recorded with camera traps in the Amazon Forest. *Ecology*: e3738. <https://doi.org/10.1002/ecy.3738>
- Bisbal, F. J. 1986. Food habits of some neotropical carnivores in Venezuela (Mammalia, Carnivora). *Mammalia* 50: 329–339.
- Bisbal, F. J. 1987. *The carnivores of Venezuela. Their distribution and the ways they have been affected by human activities*. MSc Thesis, University of Florida.
- Bisbal, F. J. 1987. Carnívoros considerados en peligro de extinción en Venezuela. *62va Reunión de la Comisión de Supervivencia de Especies SSC-IUCN*. Caracas, Venezuela.
- Bisbal, F. J. 1988. Impacto humano sobre los carnívoros de Venezuela. *Studies on Neotropical Fauna and Environment* 28: 145–156.
- Boher Bentti, S. & P. Trebbau. 1992. El papel de los parques zoológicos modernos en la conservación de los yaguares en Venezuela. pp. 301–305. In: Clemente, R. (ed.). *Memorias del Symposium: Los felinos de Venezuela; biología, ecología y conservación*. Valencia: Fudeci, Profauna, Audubon y Fundafauna. Raúl Clemente Editores C. A.
- Cerda, H., R. Carreño, Á. L. Viloria & W. Jędrzejewski. 2016. Conservación del jaguar (*Panthera onca* L.) en Venezuela: necesidad del diálogo de saberes y la participación social. *Anartia* 26: 9–28.
- Cerda, H., W. Jędrzejewski & Á. L. Viloria. 2015. La conectividad ecológica y el “dialogo de saberes” para promover la conservación del Yaguar *Panthera onca* en Venezuela. *Memoria de la Fundación La Salle de Ciencias Naturales* 71(175–176): 105–108.
- Chávez-Aponte, E. O. & J. D. Carrillo-Briceño. 2012. Los Carnívoros del Pleistoceno. pp. 323–334. In: Sánchez-Villagra, M. R. (ed.). *Venezuela paleontológica. Evolución de la biodiversidad en el pasado*. Zürich: Universität Zürich.
- Chinchilla, S., E. van der Berghe, J. Polisar, C. Arevelo & C. Bonacic. [In press]. Moving beyond preventive killing carnivore-livestock coexistence. *Animals*.
- Díaz-Pulido, A., K. E. Pérez, B. H. Olarte, F. J. Mijares, A. Benítez, C. Soto, R. Hoogesteijn & E. Payán. 2012. *Buenas prácticas para aumentar la producción ganadera y conservar la biodiversidad*. Bogotá, D. C.: Patrimonio Natural, Ministerio de Ambiente y Desarrollo Sostenible, Fundación Panthera, Fundación Orinoquia Biodiversa.
- Díaz-Pulido, A., K. E. Pérez-Albarracín, A. Benítez, B. Olarte-Ballesteros, C. Soto, R. Hoogesteijn & E. Payán Garrido. 2015. Implementación del corredor del jaguar en áreas no protegidas de Colombia. pp. 243–258. In: Payán, E., C. A. Lasso & C. Castaño-Uribé (eds.). *Conservación de grandes vertebrados en áreas no protegidas de Colombia, Venezuela y Brasil. I. Serie Editorial Fauna Silvestre Neotropical*. Bogotá, D. C.: Instituto de Investigación de Recursos Biológicos Alexander von Humboldt (IAvH).
- Eisenberg, J. F. & J. Polisar. 1999. The mammal species of North-Central Venezuela. *Bulletin of the Florida Museum of Natural History* 42(3): 115–160.
- Elbroch, L. M., R. Hoogesteijn, and H. Quigley. 2016. Cougars (*Puma concolor*) killed by North American Porcupines (*Erethizon dorsatum*). *Canadian Field-Naturalist* 130(1): 53–55.
- Farrell, L. 2000. Dietary separation of sympatric carnivores identified by molecular analysis of scats. *Molecular Ecology* 9: 1583–1590.
- Hoogesteijn, A. & R. Hoogesteijn. 2007. How to forward Jaguar conservation in flooded savannahs of the Neotropics – the ranchers approach. *Felid Biology and Conservation International Conference*. Oxford: Wildlife Conservation Research Unit, Oxford University, Panthera Foundation, IUCN/SSC Cat Specialist Group. [abstract].
- Hoogesteijn, A. & R. Hoogesteijn. 2010. Cattle ranching and biodiversity conservation as allies in South America’s flooded savannas. *Great Plains Research* 20: 37–50.
- Hoogesteijn A. & R. Hoogesteijn. 2011. Conflicto entre rancheros y yaguares. ¿Podría el búfalo de agua facilitar la conservación del jaguar? Simposio. Coexistencia entre Grandes Carnívoros y el Ser Humano en América: Estado Actual y Soluciones Prácticas. *Mesoamericana* 15 (2): 343.
- Hoogesteijn, A. & R. Hoogesteijn. 2013. Conservación de jaguares en espacios humanizados, estrategias para reducir conflictos. pp. 103–112. In: Payán Garrido, E. & C. Castaño-Uribé (eds.). *Grandes felinos de Colombia*. I. Bogotá, D. C.: Panthera Colombia, Fundación Herencia Ambiental Caribe, Conservación Internacional y Cat Specialist Group UICN/SSC.
- Hoogesteijn, A., R. Hoogesteijn, E. O. Boede, A. J. González-Fernández & E. Isasi-Catalá. 2016. Situación de las poblaciones del jaguar en Venezuela. Estudio retrospectivo. pp. 275–302. In: Medellín, R. A., J. A. de la Torre, H. Zarza, C. Chávez & G. Ceballos (eds.). *El jaguar en el Siglo XXI. La perspectiva continental*. México: FCE, UNAM, Instituto de Ecología.
- Hoogesteijn, A., J. L. Febles & R. Hoogesteijn. 2020. Seasonally flooded savannas of South America: Sustainability and the cattle-wildlife mosaic. pp. 205–238. In: La Follete, C. & C. Maser (eds.). *Sustainability and the rights of nature in practice. Social-Environmental Sustainability Series*. Boca Raton, FL, USA: CRC Press, Taylor & Francis Group.
- Hoogesteijn A., R. Hoogesteijn & N. Sánchez de Boede. 2021. Ernesto O. Boede W. (1952-2019): pionero en la medicina veterinaria de fauna silvestre en Venezuela. *Anartia* 32: 84–93.

- Hoogesteijn, R. & E. O. Boede. 1992. Notas sobre las enfermedades del jaguar y drogas utilizadas en su captura con fines científicos. pp. 275–282. In: Clemente, R. (ed.). *Memorias del Symposium: Los felinos de Venezuela; biología, ecología y conservación*. Fudeci, Profauna, Audubon y Fundafauna. Raúl Clemente Editores C. A. Valencia, Venezuela.
- Hoogesteijn, R. & E. Boede. 2003. Ganaderos y ganado conviviendo con jaguares. *Natura* 122: 10–16.
- Hoogesteijn, R., E. O. Boede & E. Mondolfi. 2002. Observaciones de la depredación de bovinos por jaguares en Venezuela y los programas gubernamentales de control. pp. 183–197. In: Medellín, R. A., C. Equihua, C. Chertkiewicz, P. G. Crawshaw Jr., A. Rabinowitz, K. H. Redford, J. G. Robinson, E. W. Sanderson & A. Taber (compiladores.). *El jaguar en el nuevo milenio. Un análisis de su estado, detección de prioridades y recomendaciones para la conservación del jaguar en América*. México, D. F.: Instituto de Ecología, Universidad Nacional Autónoma de México/Wildlife Conservation Society.
- Hoogesteijn, R. & C. Chapman. 1997. Large ranches as conservation tools in the Venezuelan Llanos. *Oryx* 31: 274–84.
- Hoogesteijn, R. & C. Chapman. 1997. Hatos ganaderos como herramientas de conservación en los Llanos Venezolanos. pp. 109–139. In: Plasse, D., N. Peña de Borsotti & R. Romero (eds.). *XIII Cursillo sobre bovinos de carne*. Maracay: Universidad Central de Venezuela. Facultad de Ciencias Veterinarias. Also published in *Venezuela Bovina*: Parte I, 1998, 13 (37): 29–33. Parte II, 1998, 13 (38): 35–37. Parte III, 1998, 13 (39): 21–23. Parte IV, 1999, 14 (40): 32–41.
- Hoogesteijn, R. & P. Crawshaw. 2000. Problemas de depredación de felinos en hatos ganaderos. Causas y posibles soluciones. pp: 205–245. In: Romero, R., N. Peña de Borsotti & D. Plasse (eds.). *XVI Cursillo sobre bovinos de carne*. Maracay: Universidad Central de Venezuela. Facultad de Ciencias Veterinarias. Also published in *Venezuela Bovina*: Parte I, 2001, 16 (48): 15–27. Parte II, 2001 16 (49): 09–15. Parte III, 2001 16 (50): 82–93.
- Hoogesteijn, R. & A. Hoogesteijn. 2005. *Manual sobre problemas de depredación causados por grandes felinos en hatos ganaderos*. Campo Grande, Brasil: Programa de Extensión para Ganaderos. Programa de Conservación del Jaguar. Wildlife Conservation Society, 48 pp.
- Hoogesteijn, R. & A. Hoogesteijn. 2007. Could water buffalo presence facilitate Jaguar conservation in the Neotropics? *Cat News* 46: 41–44.
- Hoogesteijn, R. & A. Hoogesteijn. 2008. Cattle and Water Buffalo Jaguar-related mortality – could Water Buffalo facilitate Jaguar conservation and cost-effective ranching in the Neotropics? *Oryx* 42: 132–138.
- Hoogesteijn R. & A. Hoogesteijn. 2009. El búfalo de agua, eficiente solución a los problemas de depredación por felinos en las sábanas inundables del trópico suramericano. pp. 205–229. In: Salomón, J., R. Romero, J. De Venanzi & M. Arias. (eds.). *XXIV Cursillo sobre bovinos de carne*. Maracay: Universidad Central de Venezuela, Facultad de Ciencias Veterinarias.
- Hoogesteijn, R. & A. Hoogesteijn. 2010. Conserving wild felids in humanized landscapes. Strategies for reducing conflicts between jaguars and cattle. *Wild Felid Monitor* 3(2): 10–13.
- Hoogesteijn, R. & A. Hoogesteijn. 2011. *Estrategias anti-depredación para fincas ganaderas en Latinoamérica: una guía*. Campo Grande, MS, Brasil: PANTHERA. Gráfica Editora Microart Ltda., 56 pp.
- Hoogesteijn R. & A. Hoogesteijn. 2011. Como fomentar la conservación del jaguar – una aproximación desde la perspectiva ganadera. Simposio: coexistencia entre grandes carnívoros y el ser humano en América: estado actual y soluciones prácticas. *Mesoamericana* 15 (2): 343.
- Hoogesteijn R., A. Hoogesteijn & E. O. Boede. 2011. El jaguar, el felino más grande de las Américas. *Revista Río Verde* (Caracas) 4: 27–40.
- Hoogesteijn, R., A. L. Hoogesteijn, D. Corrales-Gutiérrez, R. Salom-Pérez, E. Payán-Garrido & C. A. Valderrama Vásquez. 2016. Uso del búfalo de agua (*Bubalus bubalis*) para controlar la depredación por grandes felinos en América Tropical: casos de estudio. pp. 251–266. In: Castaño-Uribe, C., C. A. Lasso, R. Hoogesteijn, A. Díaz Pulido & E. Payán-Garrido (eds.). *Conflict entre felinos y humanos en América Latina. II Serie Editorial Fauna Silvestre Neotropical*. Bogotá, D. C.: Instituto de Investigación de Recursos Biológicos Alexander von Humboldt, Fundación Herencia Ambiental Caribe, Panthera.
- Hoogesteijn, R., A. Hoogesteijn & A. González F. 2005. Ganadería y ecoturismo, dos actividades productivas, compatibles y sustentables en hatos de sabana inundable. pp 23–77. In: Romero, R., J. Salomón & J. De Venanzi (eds.). *XX Cursillo sobre bovinos de carne*. Maracay: Universidad Central de Venezuela. Facultad de Ciencias Veterinarias. Also published in *Venezuela Bovina*: Parte I, 2006, 21 (69): 14–25. Parte II, 2006, 21 (70): 48–52. Parte III, 2006, 21 (71): 46–51. Parte IV, 2007, 22 (72): 64–73. Parte V, 2007, 22 (73): 16–21.
- Hoogesteijn, R., A. Hoogesteijn & E. Mondolfi. 1992. El dilema conservación vs. depredación del jaguar y análisis de la mortalidad de bovinos causada por felinos en tres hatos del Llano venezolano. pp. 129–160. In: Clemente, R. (ed.). *Memorias del Symposium: Los felinos de Venezuela; biología, ecología y conservación*. Fudeci, Profauna, Audubon y Fundafauna. Raúl Clemente Editores C. A. Valencia, Venezuela.
- Hoogesteijn, R., A. Hoogesteijn & E. Mondolfi. 1993. Jaguar predation vs. conservation: Cattle mortality by felines on three ranches in the Venezuelan Llanos. pp. 391–407. In: Dunstone, N. & M. L. Gorman (eds.) *Mammals as predators*. Zoological Society of London Symposia 65. Oxford: Clarendon Press.
- Hoogesteijn, R., A. L. Hoogesteijn, F. Tortato, E. Payán-Garrido, W. Jędrzejewski, S. Marchini, C. A. Valderrama-Vásquez & E. Boede. 2016. Consideraciones sobre la peligrosidad del jaguar para los humanos: ¿quién es letal para quién? pp. 445–468. In: Castaño-Uribe, C., C. A. Lasso, R. Hoogesteijn, A. Díaz Pulido & E. Payán-Garrido (eds.). *Conflict entre felinos y humanos en América Latina. II Serie Editorial Fauna Sil-*

- vestre Neotropical. Bogotá, D. C.: Instituto de Investigación de Recursos Biológicos Alexander von Humboldt, Fundación Herencia Ambiental Caribe, Panthera.
- Hoogesteijn, R., R. McBride, M. Sunquist, A. Hoogesteijn & L. Farrell. 1996. Medetomidine and rubber-padded leg-hold traps in Venezuelan cat studies. *Cat News* 25: 22–23.
- Hoogesteijn, R., R. McBride, M. Sunquist, A. Hoogesteijn & L. Farrell. 2004. Un nuevo sistema para la captura de felinos utilizado en los Llanos Centrales de Venezuela. *Biollania* 14: 39–45.
- Hoogesteijn, R. & E. Mondolfi. 1987. *Observaciones sobre la situación poblacional y legal del jaguar (Panthera onca) en Venezuela*. Memorias de la 62<sup>a</sup> Reunión de la Comisión de Supervivencia de Especies SSC-IUCN, FUDENA & MARNR. 50.
- Hoogesteijn, R. & E. Mondolfi. 1990. Factores que afectan el presente y el futuro de las poblaciones del jaguar en Venezuela. Parte I. *Natura* (Caracas) 90: 8–15.
- Hoogesteijn, R. & E. Mondolfi. 1991. Factores que afectan el presente y el futuro de las poblaciones del jaguar en Venezuela. Parte II. *Natura* (Caracas) 91: 47–52.
- Hoogesteijn, R. & E. Mondolfi. 1991. Factores que afectan el presente y el futuro de las poblaciones del jaguar en Venezuela. Parte III. *Natura* (Caracas) 92: 17–22.
- Hoogesteijn, R. & E. Mondolfi. 1992. *El jaguar, tigre americano*. Caracas: Armitano Editores, 186 pp. (book, also published in German: *Der Jaguar*, and English: *The Jaguar*).
- Hoogesteijn, R. & E. Mondolfi. 1996. Body mass and skull measurements in four jaguar populations and observations on their prey base. *Bulletin of the Florida Museum of Natural History* 39(6): 195–219.
- Hoogesteijn, R., E. Mondolfi & A. Michelangeli. 1986. Conservation and legal status of the Jaguar (*Panthera onca*) in Venezuela. pp. 30–74. In: des Clers, B. (ed.). *Trans. Symp. Status of the Jaguar and Wildlife Management in Neotropical Moist Forest, Manaus, Brasil*. Paris: International Council for the Conservation of Game.
- Hoogesteijn, R., E. Payán-Garrido, C. A. Valderrama-Vásquez, F. Tortato & A. L. Hoogesteijn. 2016. Comportamiento defensivo contra depredadores del ganado Criollo Sanmartino y Pantaneiro: la experiencia brasileña y colombiana. pp. 19–209. In: Castaño-Uribe, C., C. A. Lasso, R. Hoogesteijn, A. Díaz Pulido & E. Payán-Garrido (eds.). *Conflict entre felinos y humanos en América Latina. II*. Serie Editorial Fauna Silvestre Neotropical. Bogotá, D. C.: Instituto de Investigación de Recursos Biológicos Alexander von Humboldt, Fundación Herencia Ambiental Caribe, Panthera.
- Hoogesteijn, R. & A. Zimmermann. 2003. Observaciones sobre la depredación comparativa causada por felinos sobre búfalos y vacunos en hatos ganaderos de los llanos. Parte I. *Venezuela Bovina* 18(58): 27–31.
- Hoogesteijn, R. & A. Zimmermann. 2003. Observaciones sobre la depredación comparativa causada por felinos sobre búfalos y vacunos en hatos ganaderos de los llanos. Parte II. *Venezuela Bovina* 18(59): 36–41.
- Isasi-Catalá, E. 2008. Identificación de individuos de jaguares (*Panthera onca*) y pumas (*Puma concolor*) a partir de morfometría de sus huellas (Carnivora; Felidae). *Revista de Biología Tropical* 56(4): 1893–1904.
- Isasi-Catalá, E. 2009a. Estudios preliminares para la identificación de vacíos de conservación en el Parque Nacional Aguaro-Guariquito (Guarico) usando como especie bandera el jaguar (*Panthera onca*). In: Giraldo, D., F. Rojas-Suárez & V. Romero (comps.). *Una mano a la naturaleza, conservando las especies amenazadas venezolanas*. Caracas: Provita/Shell de Venezuela.
- Isasi-Catalá, E. 2009b. Evaluación del estado de conservación del jaguar (*Panthera onca*) y sus principales presas naturales en el Parque Nacional Guatopo, estado Miranda. In: Giraldo, D., F. Rojas-Suárez & V. Romero (comps.). *Una mano a la naturaleza, conservando las especies amenazadas venezolanas*. Caracas: Provita/Shell de Venezuela.
- Isasi-Catalá, E. 2013. Estado de conservación del jaguar (*Panthera onca*) en el Parque Nacional Guatopo, Venezuela: unidad prioritaria para su conservación. pp. 95–102. In: Payán, E. & C. Castaño-Uribe (eds.). *Grandes felinos de Colombia. I*. Bogotá, D. C.: Panthera Colombia, Fundación Herencia Ambiental Caribe, Conservación Internacional, Cat Specialist Group UICN/SSC.
- Jędrzejewski W., M. Abarca, E. O. Boede, R. Hoogesteijn, E. Isasi-Catalá, R. Carreño, Á. L. Viloria, H. Cerda, D. Lew, A. J. González-Fernández, L. Perera & M. F. Puerto Carrillo. 2015. Jaguar, *Panthera onca*. In: Rodríguez, J. P., A. García-Rawlins & F. Rojas-Suárez (eds.). *Libro rojo de la fauna venezolana. 4<sup>a</sup> ed.* Caracas: Provita y Fundación Empresas Polar.
- Jędrzejewski, W., E. O. Boede, M. Abarca, A. Sánchez-Mercado, J. R. Ferrer-Paris, M. Lampo, G. Velásquez, R. Carreño, Á. L. Viloria, R. Hoogesteijn, H. S. Robinson, I. Stachowicz, H. Cerda, M. Weisz del Mar, T. R. Barros, G. A. Rivas, G. Borges, J. Molinari, D. Lew, H. Takiff & K. Schmidt. 2017. Predicting carnivore distribution and extirpation rate based on human impacts and productivity factors; assessment of the state of jaguar (*Panthera onca*) in Venezuela. *Biological Conservation* 206: 132–142.
- Jędrzejewski, W., R. Carreño, A. Sánchez-Mercado, K. Schmidt, M. Abarca, H. S. Robinson, E. O. Boede, R. Hoogesteijn, Á. L. Viloria, H. Cerda, G. Velásquez & S. Zambrano-Martínez. 2017. Human-jaguar conflicts and the relative importance of retaliatory killing and hunting for jaguar (*Panthera onca*) populations in Venezuela. *Biological Conservation* 209: 524–532.
- Jędrzejewski W., H. Cerda, Á. L. Viloria, J. G. Gamarra & K. Schmidt. 2014. Predatory behavior and kill rate of a female jaguar (*Panthera onca*) on cattle. *Mammalia* 78(2): 235–238.
- Jędrzejewski W., R. Hoogesteijn, A. L. Devlin, F. Tortato, H. Villas-Boas Concone, F. Azevedo, C. E. Eriksson, C. E. Fragoso, M. Abarca, R. G. Morato, A. J. Giordano, A. Hoogesteijn, L. Rampim, G. Gamarra, R. Carreño, G. Velásquez & K. Schmidt. 2022. Collaborative behaviour and coalitions in male jaguars (*Panthera onca*) — evidence and comparison

- with other felids. *Behavioral Ecology and Sociobiology* 76: 121 [15] pp. <https://doi.org/10.1007/s00265-022-03232-3>
- Jędrzejewski, W., L. Maffei, S. Espinosa, N. Negroes, R. Wallace, R. Morato, M. Tobler, G. Ayala, E. Ramalho, R. Hoogesteijn, E. Payán, J. González-Maya, M. Viscarra, K. Ferraz, M. Portugal, A. Parra Romero, J. Polisar, C. Breitenmoser & U. Breitenmoser. [Submitted]. Jaguar current status, distribution, and conservation issues in the north-western parts of South America (north-western Venezuela, Colombia, Ecuador, Peru, Amazonian Bolivia, and Amazonian Brazil). *Cat News*.
- Jędrzejewski, W., R. G. Morato, N. Negroes, R. Wallace, A. Paviolo, C. De Angelo, J. Thompson, E. Paemelaere, M. Hallett, R. Berzins, F. Tortato, S. Espinosa, E. Payán, A. Parra Romero, P. Ouboter, V. Kadosoe, V. Quiroga, M. Tobler, K. Maria, P. M. B. Ferraz, M. P. Portugal, M. Viscarra, G. M. Ayala, P. Cruz, E. E. Ramalho, L. Maffei, N. Robinson, U. Breitenmoser, C. Breitenmoser, J. Polisar, H. Quigley, R. Hoogesteijn, L. Cromwell, J. González-Maya, H. Hugh Robinson, S. Johnson, G. Velásquez, I. Vivas & M. Abarca. [Submitted]. Estimating species distribution changes due to human impacts: The 2020's status of the jaguar (*Panthera onca*) in South America. *Cat News*.
- Jędrzejewski, W., R. G. Morato, R. B. Wallace, J. Thompson, A. Paviolo, C. De Angelo, N. Negroes, R. Hoogesteijn, F. Tortato, E. Payán, S. Espinosa, E. Paemelaere, M. T. Hallett, R. Berzins, A. P. Romero, P. E. Ouboter, V. Kadosoe, V. A. Quiroga, G. Velásquez, M. Abarca, M. Tobler, K. Maria, P.M.B. Ferraz, M. P. Portugal, M. Viscarra, G. M. Ayala, P. C. Crespo, E. E. Ramalho, N. Robinson, H. Quigley, B. Guerra, K. Barboza, L. Cromwell, J. F. González-Maya, J. Polisar, L. Maffei, U. Breitenmoser, C. Breitenmoser & S. Johnson. [In press]. Landscape connectivity analysis and proposition of the main corridor network for the jaguar (*Panthera onca*) in South America. *Cat News*.
- Jędrzejewski, W., M. F. Puerto, J. Goldberg, M. Hebblewhite, M. Abarca, G. Gamarra, L. E. Calderón, J. F. Romero, Á. L. Viloria, R. Carreño, H. Robinson, M. Lampo, E. O. Boede, A. Biganzoli, I. Stachowicz, G. Velásquez & K. Schmidt. 2016. Density and population structure of the jaguar (*Panthera onca*) in a protected area of Los Llanos, Venezuela, from 1 year of camera trap monitoring. *Mammalian Research*. doi:10.1007/s13364-016-0300-2
- Jędrzejewski, W., H. S. Robinson, M. Abarca, K. A. Zeller, G. Velásquez, E. A D. Paemelaere, J. F. Goldberg, E. Payán, R. Hoogesteijn, E. O. Boede, K. Schmidt, M. Lampo, Á. L. Viloria, R. Carreño, N. Robinson, P. M. Lukacs, J. J. Nowak, R. Salom-Pérez, F. Castañeda, V. Boron & H. Quigley. 2018. Estimating large carnivore populations at global scale based on spatial predictions of density and distribution – Application to the jaguar (*Panthera onca*). *PlosOne*: <http://dx.doi.org/10.1371/journal.pone.0194719>
- Jędrzejewski W., I. Vivas, M. Abarca, M. Lampo, L. G. Morales, G. Gamarra, K. Schmidt, R. Hoogesteijn, R. Carreño, M. F. Puerto, A. L. Viloria, C. Breitenmoser & U. Breitenmoser. 2021. Effect of sex, age, and reproductive status on daily activity levels and activity patterns in jaguars (*Panthera onca*). *Mammal Research* <https://doi.org/10.1007/s13364-021-00589-0>.
- Kretser, H., M. Núñez Salas, J. Polisar & L. Maffei. 2022. A range-wide analysis of legal instruments applicable to jaguar conservation. *International Journal of Wildlife Law and Policy* 25: 1–61.
- Mondolfi, E. & R. Hoogesteijn. 1986. Notes on the biology and status of the Jaguar (*Panthera onca*) in Venezuela. pp. 85–123. In: Miller, S. D. & D. D. Everett (eds.). *Cats of the World: Biology, conservation and management*. Washington, D. C.: National Wildlife Federation.
- Payán Garrido, E., C. Soto, A. Díaz-Pulido, S. Nijhawan & R. Hoogesteijn. 2011. El Corredor Jaguar: una oportunidad para asegurar la conectividad. pp. 235–247. In: Lasso, C. A., A. Rial, C. Matallana, W. Ramírez, J. C. Señaris, A. Díaz-Pulido, G. Corzo & A. Machado-Allison (eds.). 2011. *Biodiversidad de la cuenca del Orinoco. II. Áreas prioritarias para la conservación y uso sostenible*. Bogotá, D. C.: Instituto de Investigación de Recursos Biológicos Alexander von Humboldt, Ministerio del Ambiente, Vivienda y Desarrollo Territorial, WWF Colombia, Fundación Omacha, Fundación La Salle de Ciencias Naturales e Instituto de Estudios de la Orinoquia (Universidad Nacional de Colombia).
- Perera-Romero, L. 2009. Comparación de métodos para el censo de yaguares (*Panthera onca*) en el Parque Nacional Guatopo, Estados Guárico y Miranda. pp. 110. In: Giraldo, D., F. Rojas-Suarez & V. Romero (eds.). *Una mano a la naturaleza, conservando las especies amenazadas venezolanas*. Caracas: Provita y Shell de Venezuela S. A.
- Perera-Romero, L. 2012. El yaguar (*Panthera onca*) y la comunidad de vertebrados terrestres en el Río Ka'kada. *Programa de Conservación de la Cuenca del Río Caura. Wildlife Conservation Society. Venezuela. Boletín divulgativo* 6.
- Perera-Romero, L., J. Polisar & L. Maffei. 2015. Grandes vertebrados terrestres en tierras ancestrales indígenas del alto Caura: importancia de los acuerdos comunitarios para la conservación del Escudo Guayanés venezolano. pp. 191–208. In: Payán, E., C. A. Lasso & C. Castaño-Uribé (eds.). *Conservación de grandes vertebrados en áreas no protegidas de Colombia, Venezuela y Brasil. I. Serie Editorial Fauna Silvestre Neotropical*. Bogotá, D. C.: Instituto de Investigación de Recursos Biológicos Alexander Von Humboldt (IAvH).
- Polisar, J. 2000. *Jaguars, pumas, their prey base, and cattle ranching: ecological perspectives of a management issue*. Gainesville: University of Florida, 228 pp. [PhD dissertation].
- Polisar, J. 2002. Jaguar, puma, prey base, and cattle ranching: Piñero prey base component. pp. 151–182. In: Medellín, R. A., C. Equihua, C. Chetkiewicz, P. G. Crawshaw Jr., A. Rabinowitz, K. H. Redford, J. G. Robinson, E. W. Sanderson & A. Taber (comps.). *El jaguar en el nuevo milenio. Un análisis de su estado, detección de prioridades y recomendaciones para la conservación del jaguar en América*. México, D. F.: Instituto de Ecología, Universidad Nacional Autónoma de México/Wildlife Conservation Society.

- Polisar, J. 2018. Improving livestock management for economic-environmental stability in Mesoamerica's Moskitia. *Darwin Initiative Newsletter* 2018 (May): 28–29.
- Polisar, J. 2021. Humans and jaguars can live together. *The Revulator*.  
<https://www.rewindingmag.com/jaguars-returning-united-states/>  
<https://whowhatwhy.org/science/environment/humans-and-jaguars-can-live-together-heres-how/>  
<https://deceleration.news/2021/11/25/jaguars-united-states-coexistence/>  
<https://www.smithsonianmag.com/blogs/conservation-commons/2021/11/19/bandicoots-jaguars-half-earth-in-this-weeks-earth-optimism/>  
<https://therevelator.org/jaguars-coexistence/>
- Polisar, J., C. Davies, M. Da Silva, M. Arias, T. Morcatty, A.E. Lambert, R. Wallace, S. Zhang, M. Oliveira de Costa, M. Núñez Salas & H. Kretser. [Submitted]. A global perspective on trade in jaguar parts from South America. *Cat News*.
- Polisar, J., C. Davies, T. Morcatty, M. Da Silva, S. Zhang, K. Ducheze, J. Madrid, A. E. Lambert, A. Gallegos, M. Delgado, H. Nguyen, R. Wallace, M. Arias, V. Nijman, J. Ramnaraceae, R. Pennell, Y. Novelo, M. Nuñez Salas, H. Kretser, Y. Murillo, D. Rumiz, K. Rivero & A. Reuter. 2022. *Multi-lingual multi-platform investigations of online trade in jaguar parts*. <https://www.biorxiv.org/content/10.1101/2022.09.19.508455v2>
- Polisar, J., I. Maxit, D. Scognamillo, L. Farrell, M. Sunquist & J. F. Eisenberg. 2003. Jaguars, pumas, their prey base, and cattle ranching: ecological interpretations of a management problem. *Biological Conservation* 109: 297–310.
- Polisar, J., D. Scognamillo, I. E. Maxit & M. Sunquist. 2008. Patterns of vertebrate abundance in a tropical mosaic landscape. *Studies on Neotropical Fauna and Environment* 43: 85–98.
- Polisar, J., D. Scognamillo, I. Maxit, M. Sunquist & J. Eisenberg. 2001. Jaguars, pumas, their prey base, and cattle ranching: some ecological perspectives. *Cat News* 34: 18–20.
- Puerto, M. F. 2012. *Distribución actual y uso de hábitat del jaguar Panthera onca (Carnívora: Felidae) en el sur-oeste de la cuenca del Lago Maracaibo*. Maracaibo: Departamento de Biología. Facultad Experimental de Ciencias, Universidad del Zulia, 202 pp. [Trabajo especial de Grado].
- Puerto, M. F. 2016. Regional news-Venezuela: status of wild felids present in Venezuela. *The Wild Felid Monitor* 9(2): 12.
- Puerto, M. F. 2016. Nota sobre depredación de jaguar (*Panthera onca*) en *Rhinoclemmys diademata* en sur del Lago de Maracaibo, estado Zulia. pp. 97. In: Trebbau P. & P. C. H. Pritchard. *Venezuela y sus tortugas*. Caracas: Oscar Todtmann Editores.
- Puerto, M. F. 2017. Regional News-Venezuela. *The Wild Felid Monitor* 10: 13–14.
- Puerto, M. F. 2018. Regional News-Venezuela. *The Wild Felid Monitor* 11: 7.
- Puerto, M. F. 2018. Regional News-Venezuela. *The Wild Felid Monitor* 11: 15.
- Puerto, M. F. 2020. Regional News-Venezuela. *The Wild Felid Monitor* 13: 12.
- Rincón, A. D. 2006. Primer registro de jaguar (*Panthera onca*) en estado fósil para la Sierra de Perijá, estado Zulia - Venezuela. *El Guácharo, Boletín Espeleológico* 61: 4–6.
- Robinson, E. W. Sanderson & A. B. Taber (eds.). 2002. *El jaguar en el nuevo milenio. Un análisis de su estado, detección de prioridades y recomendaciones para la conservación del jaguar en América*. México, D. F.: Fondo de Cultura Económica, Universidad Autónoma de México, Wildlife Conservation Society, 647 pp. + [i].
- Scognamillo, D., I. E. Maxit, M. Sunquist & J. Polisar. 2003. Co-existence of jaguar (*Panthera onca*) and puma (*Puma concolor*) in a mosaic landscape in the Venezuelan Llanos. *Journal of Zoology* 259: 269–279.
- Solórzano, A., A. D. Rincón & H. G. McDonald. 2015. A new mammal assemblage from the Late Pleistocene El Breal de Orocual, Northeast of Venezuela. *Science Series Natural History Museum of Los Angeles County* 42: 125–150.
- Stasiukinas, D. C., V. Boron, R. Hoogesteijn, J. Barragán, A. Martin, F. Tortato, S. Rincón & E. Payán. 2021. Hide and flirt: observed behavior of female jaguars (*Panthera onca*) to protect their young cubs from adult males. *Acta Ethologica* 2021:<https://doi.org/10.1007/s10211-021-00384-9>.
- Thompson J., R. G. Morato, B. B. Niebuhr, V. Bejarano Alegre, J. E. F. Oshima, A. E. de Barros, A. Pavilo, J. A. de la Torre, F. Lima, R. T. McBride Jr., R. Cunha de Paula, L. Cullen Jr., L. Silveira, D. L. Z. Kantek, E. E. Ramalho, L. Maranhão, M. Haberfeld, D. A. Sana, R. A. Medellin, E. Carrillo, V. H. Montalvo, O. Monroy-Vilchis, P. Cruz, A. T. A. Jacomo, G. B. Alves, I. Cassaigne, R. Thompson, C. Sáenz-Bolaños, J. C. Cruz, L. D. Alfaro, I. Hagnauer, M. X. da Silva, A. Vogliotti, M. F. D. Moraes, S. S. Miyazaki, G. R. Araujo, L. C. da Silva, L. Leuzinger, M. M. Carvalho, L. Rampim, L. Sartorello, H. Quigley, F. R. Tortato, R. Hoogesteijn, P. G. Crawshaw Jr., A. L. Devlin, J. A. May Jr., G. V. N. Powell, M. W. Tobler, S. E. Carrillo-Percastegui, E. Payán, F. C. C. Azevedo, H. V. B. Concone, V. A. Quiroga, S. A. Costa, J. P. Arrabal, E. Vanderhoeven, Y. E. Di Blanco, A. M. C. Lopes & M. C. Ribeiro. 2021. Environmental and anthropogenic factors synergistically affect space use of jaguars. *Current Biology* 31: 1–10.
- Trebbau, P. & E. Mondolfi O. 2001. Jaguar. pp. 645–648. In: Bell, C.E. (ed.). *Encyclopedia of the World's zoos*. Vol. 2 (G-P). Chicago and London: Fitzroy Dearborn Publisher.
- Valderrama Vásquez, C. A., R. Hoogesteijn & E. Payán Garrido. 2016. *GRECO: Manual de campo para el manejo del conflicto entre humanos y felinos*. Cali, Colombia: Panthera y USFWS. Fernando Peña Editores, 81 pp.